

**AD 2 AERODROMES****ESSU 2.1 AERODROME LOCATION INDICATOR AND NAME****ESSU – ESKILSTUNA****ESSU 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

- |    |  |  |
|----|--|--|
| 1. | ARP coordinates and site at AD               | 592108N 0164230E RWY 803 m N THR 36  |
| 2. | Direction and distance from (city)           | E 6 NM from Eskilstuna   |
| 3. | Elevation/Reference temperature              | 140 ft/+19.0°C   |
| 4. | Geoid undulation at AD ELEV PSN              | 84 ft  |
| 5. | MAG VAR/Annual change                        | 5° E 2015/+0.1 increasing  |
| 6. | Administration, address, telephone, fax, AFS | Eskilstuna Kommunföretag AB<br>Eskilstuna flygplats<br>SE-635 06 Eskilstuna<br>TEL: +46 (0)16 940 20<br>E-mail: ats@eskilstunaflygplats.se<br>AFS: ESSUZZTX<br>Website: www.eskilstunaflygplats.se |
| 7. | Types of traffic permitted (IFR/VFR)         | IFR/VFR. Max RWY ref code 2C   |
| 8. | Remarks                                      | -  |

**ESSU 2.3 OPERATIONAL HOURS**

- |     |   |  |
|-----|---|--|
| 1.  | AD Administration<br>AD Operating hours | MON-FRI 0700-1100, 1200-1600 (0600-1000, 1100-1500)<br>H24 |
| 2.  | Customs and immigration                 | O/R  |
| 3.  | Health and sanitation                   | -  |
| 4.  | AIS Briefing Office                     | FPC H24, +46 (0)8 797 63 40, www.lfv.se/fpc                |
| 5.  | ATS Reporting Office (ARO)              | As ATS   |
| 6.  | MET Briefing Office                     | FPC H24, +46 (0)8 797 63 40, www.lfv.se/fpc                |
| 7.  | ATS                                     | MON-FRI 0700-1100, 1200-1600 (0600-1000, 1100-1500)        |
| 8.  | Fuelling                                | MON-FRI 0700-1600 (0600-1500)                              |
| 9.  | Handling                                | O/R  |
| 10. | Security                                | -  |
| 11. | De-Icing                                | Not available  |
| 12. | Remarks                                 | Increased charges outside AFIS HR of OPS                   |

**ESSU 2.4 HANDLING SERVICES AND FACILITIES**

1.	Cargo-handling facilities	Forklift
2.	Fuel/oil types	Fuel 91/96UL, Jet A1, 100LL Oil -
3.	Fuelling facilities/discharge capacity	91/96UL: 10,000 l Jet A1: 50,000 l 100LL: 50,000 l
4.	De-icing facilities	-
5.	Hangar space for visiting ACFT	Available
6.	Repair facilities for visiting ACFT	Available
7.	Remarks	-

**ESSU 2.5 PASSENGER FACILITIES**

1.	Hotels	In Eskilstuna
2.	Restaurants	In Eskilstuna
3.	Transportation	Taxis
4.	Medical facilities	In Eskilstuna
5.	Bank and Post Office	In Eskilstuna
6.	Tourist Office	In Eskilstuna
7.	Remarks	-

**ESSU 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1.	AD category for fire fighting	CAT 3, higher O/R
2.	Rescue equipment	By arrangement
3.	Capability for removal of disabled aircraft	By arrangement
4.	Remarks	-

**ESSU 2.7 SEASONAL AVAILABILITY – CLEARING**

1.	Types of clearing equipment	3 Snowploughs, 2 Sweepers/blowers, 2 Snowslingers, 1 Spreader
2.	Clearance priorities	RWY, TWY, Apron
3.	Remarks	-

**ESSU 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1.	Apron surface and strength	Apron N Part ASPH PCN 36 F/B/X/T Apron S Part ASPH PCN 15 F/B/X/T
2.	Taxiway width, surface and strength	TWY A 15 m ASPH PCN 36 F/B/X/T TWY B 7.5 m ASPH PCN 15 F/B/X/T
3.	ACL, location and elevation	Apron 143 ft
4.	VOR checkpoints	-
5.	INS checkpoints	-
6.	Remarks	TWY B Only daylight VFR.

**ESSU 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1.	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of ACFT stands	Stand positions and taxi guide lines
2.	RWY and TWY markings and LGT	RWY 18/36: Designator, THR, TDZ, CL, edges day marked. RTHL, REDL, RENL  TWY A: CL, HLDG day marked. Edge lights, RGL. B: CL, HLDG day marked. RGL.
3.	Stop bars	-
4.	Remarks	-

**ESSU 2.10 AERODROME OBSTACLES**

In Area 2					
OBST ID/Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
Not available					

  

In Area 3					
OBST ID/Designation	OBST type	OBST position	ELEV/HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
Not available					

## ESSU 2.11 METEOROLOGICAL INFORMATION PROVIDED

- |     |  |   |
|-----|--|---|
| 1.  | Associated MET Office  | STOCKHOLM/Arlanda                               |
| 2.  | Hours of service<br>MET Office outside hours                           | H24   |
| 3.  | Office responsible for TAF preparation<br>Periods of validity          | TAF not produced                                |
| 4.  | Type of landing forecast<br>Interval of issuance                       | Not issued                                      |
| 5.  | Briefing/consultation provided   | FPC H24, +46 (0)8 797 63 40, www.lfv.se/fpc     |
| 6.  | Flight documentation<br>Language(s) used                               | SIGMET, Upper air winds<br>Swedish/English      |
| 7.  | Charts and other information available for<br>briefing or consultation | SWC, WC, Nordic SIGWX Chart, Low level forecast |
| 8.  | Supplementary equipment available for<br>providing information         | -   |
| 9.  | ATS units provided with information                                    | ESKILSTUNA AFIS                                 |
| 10. | Additional information (limitation of service,<br>etc.)                | Flight planning room available                  |

## ESSU 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	True BRG and MAG BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APCH RWY
1	2	3	4	5	6
18	178.05° GEO 173° MAG	1886 x 35	PCN 36 F/B/X/T CONC+ASPH	592134.34N 0164228.21E  BGN RWY: 592143.59N 0164227.60E  GUND 84 ft	THR 129 ft
36	358.05° GEO 353° MAG	1886 x 35	PCN 36 F/B/X/T CONC+ASPH	592033.42N 0164232.28E  GUND 84.3 ft	THR 130.4 ft TDZ 138.1 ft

  

Slope of RWY-SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	OFZ	Remarks
7	8	9	10	11	12
18 Info not avbl.	-	-	2292 x 150	-	-
36 Info not avbl.	286 x 35	-	2292 x 150	-	-

**ESSU 2.13 DECLARED DISTANCES**

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
18	1886	1886	1886	1886	Starter extension 286 m in daylight VMC.
36	1886	1886	1886	1886	ASDA 2172 m in daylight VMC.

**ESSU 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT Type, LEN INTST	THR LGT Colour WBAR	VASIS (MEHT)	TDZ LGT LEN	RWY Centre Line LGT LEN, Spacing Colour INTST	RWY Edge LGT LEN, Spacing Colour INTST	RWY End LGT Colour WBAR	SWY LGT LEN, Colour
1	2	3	4	5	6	7	8	9
18	-	Green	APAPI Left/2.86° (49.9 ft)	-	-	1886/60 m White Caution zone 600 m yellow LIL/LIH	Red	-
36	Calvert CAT I 900 m LIL/LIH	Green	APAPI Left/3.00° (49.9 ft)	-	-	1886/60 m White Caution zone 600 m yellow LIL/LIH	Red	-

**10 Remarks:** RWY 18: TRID LIH.  
PCL LIL RWY and APCH on frequency 126.855 MHz for 10 SEC.  
RWY 36: PCL LIL RWY and APCH on frequency 126.855 MHz for 10 SEC.

**ESSU 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

- |    |  |   |
|----|--|---|
| 1. | ABN/IBN location, characteristics and hours of operation | ABN at TWR FLG W/G 24/min lit DUR daylight and PCL              |
| 2. | LDI location and LGT<br>Anemometer location and LGT      | Windssocks at RWY ends. Lighted windsock N Apron 600 m N THR 36 |
| 3. | TWY edge and centre line lighting                        | Edge: TWY A<br><br>CL: -  |
| 4. | Secondary power supply/switch-over time                  | Available/15 sec  |
| 5. | Remarks  | -   |

**ESSU 2.16 HELICOPTER LANDING AREA**

RWY 18/36 to be used.

## ESSU 2.17 ATS AIRSPACE

- |    |                                   |   |  |
|----|-----------------------------------|---|--|
| 1. | Designation and lateral limits    | ESKILSTUNA TIZ/RMZ  | 593045N 0164511E - 592928N 0164942E -<br>591812N 0165209E - 590943N 0164722E -<br>590933N 0163941E - 591647N 0163411E -<br>592421N 0163357E - 592348N 0163944E -<br>593045N 0164511E |
| 2. | Vertical limits                   | ESKILSTUNA TIZ/RMZ  | 1500 ft AMSL<br><hr style="width: 50%; margin: 0 auto;"/> GND  |
| 3. | Airspace classification           | G   |  |
| 4. | ATS unit call sign<br>Language(s) | ESKILSTUNA INFORMATION  | Swedish/English  |
| 5. | Transition altitude               | 5000 ft AMSL  |  |
| 6. | Remarks                           | Continuous two-way radiocommunication required in TIZ/RMZ.<br>TIZ/RMZ established during hours of AFIS. |  |

## ESSU 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
AFIS	ESKILSTUNA INFORMATION	126.855 MHz	HO	Primary FREQ VDF
		121.500 MHz	HO	VDF

## ESSU 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid CAT of ILS/MLS (for VOR/ILS/MLS give VAR)	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
L 18	NN	362 kHz	H24	592336.7N 0164219.9E		Range 15 NM
LOC 36 ILS CAT I (5° E 2015)	SU	110.90 MHz	H24	592148.3N 0164227.3E		431 m beyond THR 18
GP		330.80 MHz	H24	592041.7N 0164240.6E		Angle 3.0° RDH 50.9 ft 251 m past THR 36 right side
L 36	LX	402 kHz	H24	591631.7N 0164247.3E		Range 25 NM
DME	SU	110.90 MHz	H24	592041.8N 0164240.3E	151 ft	DME channel 46X

## ESSU 2.20 LOKALA TRAFIKFÖRESKRIFTER

1. Skolflygning
  - a) För all skolflygning gäller PPR, TEL 016 940 20 MON-FRI 0700-1600 (0600-1500).
  - b) Upprepade start- och landningar, TGL, tillåts endast MON-FRI 0700-1600, TUE och THU även 1700-2100 (1600-2000).
2. VFR-flygning

## LOCAL TRAFFIC REGULATIONS

1. School flight
  - a) All school flights are subject to PPR, TEL +46 (0)16 940 20 MON-FRI 0700-1600 (0600-1500).
  - b) Repeated touch-and-go landings, TGL, are permitted only MON-FRI 0700-1600 (0600-1500), TUE and THU also 1700-2100 (1600-2000).
2. VFR flight

- a) För upprepade start och landningar, TGL under mörker gäller PPR, TEL 016 940 20 MON–FRI 0700–1600 (0600–1500).
- b) Upprepade start och landningar, TGL tillåts endast MON–FRI 0700–1600 (0600–1500), TUE och THU även 1700–2100 (1600–2000) samt SAT, SUN och HOL 0800–1600 (0700–1500)
- c) TGL får inte utföras under nyårsdagen, långfredagen, påskafton, Kristi Himmelsfärdsdag, pingstafton, midsommarafton, midsommardagen, Alla helgons dag, julafton och juldagen.

## 3. Avancerad flygning

PPR för avancerad flygning, TEL 016 940 20.

- a) Repeated touch-and-go landings, TGL during darkness are subject to PPR, TEL +46 (0)16 940 20 MON–FRI 0700–1600 (0600–1500).
- b) Repeated touch-and-go landings, TGL permitted only MON–FRI 0700–1600 (0600–1500), TUE and THU also 1700–2100 (1600–2000) and SAT, SUN and HOL 0800–1600 (0700–1500).
- c) TGL is not permitted New Year's Day, Good Friday, Easter Eve, Ascension Day, Whitsun Eve, Midsummer Eve, Midsummer Day, All Saints Day, Christmas Eve and Christmas Day.

## 3. Aerobatic flight

PPR for aerobatic flight, TEL +46 (0)16 940 20.

**ESSU 2.21 MINSKNING AV BULLERSTÖRNING**

1. Trafikvarvshöjd 1000 ft GND.
2. Flygning över Kjula samhälle får ej ske under 2000 ft GND.

**NOISE ABATEMENT PROCEDURES**

1. Altitude in aerodrome traffic circuit: 1000 ft GND.
2. Overflight of the built-up areas of Kjula is not allowed below 2000 ft GND.

**ESSU 2.22 FLYGPROCEDURER**

1. Startprocedurer, omnidirectional

**FLIGHT PROCEDURES**

1. Omnidirectional departure procedures

RWY	Procedure	Significant obstacle		
		Obstacle	Elevation (ft)	Direction (GEO)/Dist (m) from THR
18	Climb straight ahead with MNM 350 ft/NM (5.6%) to MNM turning ALT 600 ft. Continue climb to appropriate MSA.	Terrain	263	179°/2250
36	Climb straight ahead with MNM 360 ft/NM (5.9%) to MNM turning ALT 600 ft. Continue climb to appropriate MSA.	Terrain (CIO)	279	004°/2100
		Terrain	296	350°/2450

**ESSU 2.23 ÖVRIG INFORMATION**

1. Förhandsmeddelande (PN) krävs för nedanstående flygverksamhet inom Stockholm TMA.
- a) Skol- och övningsflygning som omfattar "airwork", flygning i väntläge och/eller upprepande instrumentinflygningar.
- b) Fotoflygning.
- c) Geologisk mätflygning och liknande.
- d) Lyft av fallskärmshoppare.
- e) Förplanerad kontrollflygning (mätflygning) av navigerings- och inflygningshjälpmedel.

Innan färdplan lämnas in, skall förhandsmeddelande lämnas till skiftledaren vid Stockholm ACC TEL 08 585 547 02.  
*Undantag:* om flygningen kommer att beröra sektor Västerås, skall tillstånd inhämtas från Västerås ATS TEL 021 80 00 20.

**ADDITIONAL INFORMATION**

1. Prior notice (PN) is required for operations mentioned below within Stockholm TMA.
- a) School and training flights comprising "airwork", holding, and/or repeated instrument approaches.
- b) Aerial photographing.
- c) Geological survey flights and the like.
- d) Lifting of parachutists.
- e) Non-urgent nav aids and approach aids calibration flights.

Before submitting the flight plan, the operator shall give prior notice of the flight to the Watch Supervisor. Stockholm ACC TEL +46 (0)8 585 547 02.  
*Exception:* if the flight will be conducted within Västerås sector, permission shall be obtained from Västerås ATS, TEL +46 (0)21 80 00 20.

**ESSU 2.24 TILLHÖRANDE KARTOR**

**RELATED CHARTS**

AD chart		ESSU 2-1
IAC	NDB+DME+ILS RWY 36	ESSU 5-1
IAC	NDB+DME RWY 36	ESSU 5-2
IAC	NDB+DME RWY 18	ESSU 5-3
VAC		ESSU 6-1