


STANDARD INSTRUMENT
DEPARTURE CHART (SID) -
ICAO


HGT and ALT in ft
BRG are MAG
TA 5000 ft AMSL

SUNDSVALL TOWER	129.555
SUNDSVALL ATIS	127.405

RNAV (GNSS) SID RWY 34



LEGEND
See GEN 2.3



Prescribed Coding of RNAV SID for RWY 34

DEGED 1H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CA		-	333° (340.1°)	-	-	+1400	-	-	-	RNAV 1
DF	DEGED	-	-	-	L	-	-	-	-	RNAV 1

SID instruction: Climb on track 333° to 1400 ft – left turn to DEGED

FOXSA 1H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CA		-	333° (340.1°)	-	-	+1400	-	-	-	RNAV 1
DF	FOXSA	-	-	-	L	-	-	-	-	RNAV 1

SID instruction: Climb on track 333° to 1400 ft – left turn to FOXSA

GAJPA 1H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CA		-	333° (340.1°)	-	-	+1400	-	-	-	RNAV 1
DF	GAJPA	-	-	-	R	-	-	-	-	RNAV 1

SID instruction: Climb on track 333° to 1400 ft – right turn to GAJPA

SINNU 1H

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
CA		-	333° (340.1°)	-	-	+1400	-	-	-	RNAV 1
DF	SINNU	-	-	-	L	-	-	-	-	RNAV 1

SID instruction: Climb on track 333° to 1400 ft – left turn to SINNU