


STANDARD INSTRUMENT
ARRIVAL CHART (STAR) -
ICAO

HGT and ALT in ft
BRG are MAG
TA 5000 ft AMSL

SUNDSVALL TOWER	129.555
SUNDSVALL ATIS	127.405

RNAV (GNSS) STAR
RWY 34



Prescribed Coding of RNAV STAR for RWY 34

DEGED 1T

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
IF	DEGED	-	-	-	-	-	-	-	-	RNAV 1
TF	NN714	-	049° (056.1°)	7.8	-	+5000	-	-	-	RNAV 1
TF	NN700	-	049° (056.3°)	13.2	-	+3200	-	-	-	RNAV 1
TF	IXIBI	-	063° (070.2°)	5.0	-	+2500	-220	-	-	RNAV 1

STAR instruction: DEGED – NN714 (5000 ft or above) – NN700 (3200 ft or above) – IXIBI (2500 ft or above, max IAS 220 kt)

GAJPA 1T

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
IF	GAJPA	-	-	-	-	-	-	-	-	RNAV 1
TF	NN521	-	183° (189.9°)	19.3	-	+5000	-	-	-	RNAV 1
TF	NN553	-	183° (189.8°)	20.6	-	+3200	-	-	-	RNAV 1
TF	IXIBI	-	243° (250.4°)	5.0	-	+2500	-220	-	-	RNAV 1

STAR instruction: GAJPA – NN521 (5000 or above) – NN553 (3200 ft or above) – IXIBI (2500 ft or above, max IAS 220 kt)

SINNU 1T

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
IF	SINNU	-	-	-	-	-	-	-	-	RNAV 1
TF	NN715	-	093° (100.5°)	6.5	-	+5000	-	-	-	RNAV 1
TF	NN700	-	093° (100.7°)	15.8	-	+3200	-	-	-	RNAV 1
TF	IXIBI	-	063° (070.2°)	5.0	-	+2500	-220	-	-	RNAV 1

STAR instruction: SINNU – NN715 (5000 ft or above) – NN700 (3200 ft or above) – IXIBI (2500 ft or above, max IAS 220 kt)

ZIPCO 1T

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/RDH (°/ft)	Rec Navaid	Navigation Specification
IF	ZIPCO	-	-	-	-	-	-	-	-	RNAV 1
TF	NN554	-	354° (001.3°)	16.1	-	+5000	-	-	-	RNAV 1
TF	NN551	-	354° (001.3°)	7.3	-	+3200	-	-	-	RNAV 1
TF	IXIBI	-	333° (340.3°)	4.0	-	+2500	-	-	-	RNAV 1

STAR instruction: ZIPCO – NN554 (5000 ft or above) – NN551 (3200 ft or above) – IBIXI (2500 ft or above)