



ARP 632428N 0185933E

AD ELEV 355 FEET

LEGEND See GEN 2.3

Dimensions in m, ELEV in ft

TWY NR	WIDTH	Surface Bearing strength	Day marking		Taxiway lighting	
			Centerline Holding	Edge Centerline	RGL Stopbar	RGL
A	22 m	ASPH PCN 65 F/B/X/T	CL HLDG	EDGE		RGL

INS Coordinates for Aircraft Stands			
APRON Surface Bearing strength	NR	COORD	ELEV
Apron ASPH PCN 81 F/B/X/T	1	632438.91N 0185930.05E	337
	2	632439.85N 0185926.34E	337
	3	632440.72N 0185921.49E	337

RWY NR	TRUE & MAG BRG	THR PSN Geoid undulation	Bearing strength	THR ELEV and highest ELEV of TDZ of precision APCH RWY	Declared distances				Approach and runway lighting				
					TORA	TODA	ASDA	LDA	APCH	THR TRID TDZ	VASIS (MEHT)	Edge	End
12	121.59° GEO 114° MAG	632450.36N 0185815.80E GUND 77.7 ft	PCN 77 F/B/X/T	THR 354.1 ft TDZ 354.8 ft	2016	2166	2016	2016	Barrette CL Cat I 720 m LIH	THR Green	PAPI Left/3.25° (57.0 ft)	2016/50 m White Caution zone 600 m yellow LIH	Red
30	301.62° GEO 294° MAG	632416.25N 0190019.48E GUND 77 ft	PCN 77 F/B/X/T	THR 332 ft	2016	2016	2016	2016	SALS 420 m LIH	THR Green	PAPI Left/3.00° (25.1 ft)	2016/50 m White Caution zone 600 m yellow LIH	Red

